


Newport Beach - 7-story Hospital CGS/OSHPD Sta 13291

Rcrd of Thu Jun 6, 2024 16:51:58.0 PDT (GPS)

Frequency Band Processed: 4.0 secs to 40.0 Hz

CISN/CSMIP Preliminary Strong Motion Processing - Subject to Revision




Newport Beach - 7-story Hospital CGS/OSHPD Sta 13291

Rcrd of Thu Jun 6, 2024 16:51:58.0 PDT (GPS)

Frequency Band Processed: 4.0 secs to 40.0 Hz

CISN/CSMIP Preliminary Strong Motion Processing - Subject to Revision




Newport Beach - 7-story Hospital CGS/OSHPD Sta 13291

Rcrd of Thu Jun 6, 2024 16:51:58.0 PDT (GPS)

Frequency Band Processed: 4.0 secs to 40.0 Hz

CISN/CSMIP Preliminary Strong Motion Processing - Subject to Revision

ACCELERATION (g)




Newport Beach - 7-story Hospital CGS/OSHPD Sta 13291

Rcrd of Thu Jun 6, 2024 16:51:58.0 PDT (GPS)

Frequency Band Processed: 4.0 secs to 40.0 Hz

CISN/CSMIP Preliminary Strong Motion Processing - Subject to Revision




Newport Beach - 7-story Hospital CGS/OSHPD Sta 13291

Rcrd of Thu Jun 6, 2024 16:51:58.0 PDT (GPS)

Frequency Band Processed: 4.0 secs to 40.0 Hz

CISN/CSMIP Preliminary Strong Motion Processing - Subject to Revision



Newport Beach - 7-story Hospital CGS/OSHPD Sta 13291

Rcrd of Thu Jun 6, 2024 16:51:58.0 PDT (GPS)

Frequency Band Processed: 4.0 secs to 40.0 Hz

CISN/CSMIP Preliminary Strong Motion Processing - Subject to Revision

DISPLACEMENT (cm)

Chn 5: not found in file.

Chn 6: not found in file.

Chn 7: not found in file.

Chn 8: not found in file.

*Structure Reference Orientation: N= 337 deg



24 26 28 30 32 34 36 38 40 42 44
13291-P0951-24158.01 06/06/24 16:54:54 Time (sec) CE13291A SsLsCs v74.66.77.67R PC86

Newport Beach - 7-story Hospital CGS Sta 13291

Rcprd of Thu Jun 6, 2024 16:51:58.0 PDT

Frequency Band Processed: 4.0 secs to 40.0 Hz

Automated Strong Motion Processing - Preliminary and Subject to Revision



Newport Beach - 7-story Hospital CGS Sta 13291

Rcprd of Thu Jun 6, 2024 16:51:58.0 PDT

Frequency Band Processed: 4.0 secs to 40.0 Hz

Automated Strong Motion Processing - Preliminary and Subject to Revision

