


Riverside - 10-story Office Bldg CGS Sta 13415


Rcnd of Sun Oct 6, 2024 03:50:53.0 PDT (GPS)

Frequency Band Processed: 5.0 secs to 40.0 Hz

CISN/CSMIP Preliminary Strong Motion Processing - Subject to Revision



Riverside - 10-story Office Bldg CGS Sta 13415
Rcrd of Sun Oct 6, 2024 03:50:53.0 PDT (GPS)
Frequency Band Processed: 5.0 secs to 40.0 Hz
CISN/CSMIP Preliminary Strong Motion Processing - Subject to Revision




Riverside - 10-story Office Bldg CGS Sta 13415


Rcprd of Sun Oct 6, 2024 03:50:53.0 PDT (GPS)

Frequency Band Processed: 5.0 secs to 40.0 Hz



CISN/CSMIP Preliminary Strong Motion Processing - Subject to Revision



Riverside - 10-story Office Bldg CGS Sta 13415
Rcrd of Sun Oct 6, 2024 03:50:53.0 PDT (GPS)
Frequency Band Processed: 5.0 secs to 40.0 Hz
CISN/CSMIP Preliminary Strong Motion Processing - Subject to Revision



Riverside - 10-story Office Bldg CGS Sta 13415
 Rcrd of Sun Oct 6, 2024 03:50:53.0 PDT
 Frequency Band Processed: 5.0 secs to 40.0 Hz
 Automated Strong Motion Processing - Preliminary and Subject to Revision



Riverside - 10-story Office Bldg CGS Sta 13415
 Rcrd of Sun Oct 6, 2024 03:50:53.0 PDT
 Frequency Band Processed: 5.0 secs to 40.0 Hz
 Automated Strong Motion Processing - Preliminary and Subject to Revision

