


Berkeley - 4-story Office Bldg CGS Sta 58636

Rcrd of Sat Apr 6, 2024 11:12:09.0 PDT (GPS)

Frequency Band Processed: 3.3 secs to 40.0 Hz

CISN/CSMIP Preliminary Strong Motion Processing - Subject to Revision




Berkeley - 4-story Office Bldg CGS Sta 58636


Rcrd of Sat Apr 6, 2024 11:12:09.0 PDT (GPS)

Frequency Band Processed: 3.3 secs to 40.0 Hz

CISN/CSMIP Preliminary Strong Motion Processing - Subject to Revision



Berkeley - 4-story Office Bldg CGS Sta 58636
Rcrd of Sat Apr 6, 2024 11:12:09.0 PDT (GPS)
Frequency Band Processed: 3.3 secs to 40.0 Hz
CISN/CSMIP Preliminary Strong Motion Processing - Subject to Revision




Berkeley - 4-story Office Bldg CGS Sta 58636

Rcrd of Sat Apr 6, 2024 11:12:09.0 PDT (GPS)


Frequency Band Processed: 3.3 secs to 40.0 Hz

CISN/CSMIP Preliminary Strong Motion Processing - Subject to Revision




Berkeley - 4-story Office Bldg CGS Sta 58636
 Rcd of Sat Apr 6, 2024 11:12:09.0 PDT
 Frequency Band Processed: 3.3 secs to 40.0 Hz
 Automated Strong Motion Processing - Preliminary and Subject to Revision

SPECTRAL ACCELERATION, S_a



VELOCITY FOURIER SPECTRUM



Berkeley - 4-story Office Bldg CGS Sta 58636
Rcd of Sat Apr 6, 2024 11:12:09.0 PDT
Frequency Band Processed: 3.3 secs to 40.0 Hz
Automated Strong Motion Processing - Preliminary and Subject to Revision

